

To: kward@wvgazette.com[kward@wvgazette.com]
Bcc: White, Terri-A[White.Terri-A@epa.gov]
From: Smith, Bonnie
Sent: Thur 2/6/2014 4:17:15 PM
Subject: RE: Seeking study

Ken,
I'll look for it now and get back to you.
-bonnie

Bonnie Smith
US Environmental Protection Agency
Regional Press Officer
Phone = 215-814-5543

-----Original Message-----

From: Ken Ward [mailto:kward@wvgazette.com]
Sent: Thursday, February 06, 2014 10:35 AM
To: Smith, Bonnie
Subject: Seeking study

Bonnie,

EPA Region 3 Drinking Water Branch Chief Bill Arguto said yesterday that a study by EPA's Water Security Division suggests that MCHM would not adhere to home plumbing systems. I asked him for a copy of that study, and he said he would try to get it to me. I haven't seen it yet. Is it available online? Can I please get a copy?

Thanks, Ken.

Ken Ward Jr.
Staff Writer
The Charleston Gazette
1001 Virginia St., East
Charleston, W.Va. 25301
(304) 348-1702
Fax: (304) 348-1233

<http://wvgazette.com> or <http://wvgazette.com/News/MiningtheMountains>

Read my blog, Coal Tattoo at <http://blogs.wvgazette.com/coalattoo/> and follow me on Twitter, <http://twitter.com/Kenwardjr> And check out Sustained Outrage, a Gazette watchdog journalism blog, <http://blogs.wvgazette.com/watchdog/>

ÿ